


Analog Guard®

Establishing the Physical Layer of Global Cybersecurity

Analog Guard moves encryption into the physical layer, where compromise is designed to require matched hardware and synchronized analog keys — not a scalable mathematical attack.

The Digital Terrain Trap



Beyond Algorithmic Defense

Conventional cybersecurity keeps the fight inside the digital domain. Analog Guard changes the attack surface by moving protection into continuous physical signal behavior.

The Digital Terrain Trap

Software encryption, HSMs, TPMs, and trusted execution environments still operate on terrain that is digitally reachable, remotely scalable, and increasingly exposed to AI- and quantum-scaled attack.

TAKEAWAY **The attack surface must change — Analog Guard moves the critical protection layer into continuous physical signal behavior.**

Lyrics vs. Performance — A Metaphor

Digital Security Keys are like written lyrics



Analog Security Keys are like the musical performance.




TAKEAWAY Digital security keys are like written lyrics: discrete, copyable, and searchable. Analog security keys are like a live musical performance: continuous, dynamic, and difficult to reproduce physically.

Scalable Attack vs. Per-Device Effort

SECURITY APPROACH	ATTACK VECTOR	POINT OF FAILURE
Software Encryption	OS/firmware compromise, cold boot, memory scrape	Adversary gains OS/firmware visibility
HSM / TPM	Side-channel attacks, firmware extraction, supply chain	Attacker compromises trust chain or probes hardware
TEE (TrustZone / SGX)	Spectre/Meltdown class, hypervisor escape, physical probing	Microarchitecture exploited below the enclave
Analog Guard (Physical Layer)	No algorithmic target for discrete-math, AI, or quantum (Grover/Shor) attacks	Designed to resist software attack; inversion requires exact cloned hardware and matched, synchronized analog keys


TAKEAWAY **Digital architectures can fail once a reusable exploit is developed. Analog Guard shifts compromise economics toward local, hardware-specific, per-device effort.**

Containment, Not Replacement




TAKEAWAY **Analog Guard does not replace AES or post-quantum cryptography — it surrounds them with a hardware-rooted physical layer beyond the direct reach of purely digital attack.**

Digital In. Digital Out. Physics in Between.



TAKEAWAY The lifecycle converts digital data into analog waveforms, applies PLTNM modulation, encapsulates the signal back into digital form, and is designed to recover only through the matched inverse physical process.


Compounding Complexity by Design



TAKEAWAY **Cascaded PLTNM stages reshape the signal through higher-order nonlinear analog behavior. Each stage compounds the physical transformation rather than adding another mathematical puzzle to solve.**


TECHNOLOGY

From Analog Protection to Authorized Recovery




TAKEAWAY Encryption and recovery depend on matched analog key conditions. Without the proper analog security environment, the protected waveform cannot practically be reconstructed.


Recovery Through Alignment




TAKEAWAY DARK extends the concept into distributed reconstruction, where recovery emerges only when synchronization, validation, governance, compatibility, lineage, and analog-state conditions align.

Simulation Results: Three Domains









TAKEAWAY Validation across time, frequency, and spectral coherence tells a consistent story: in simulation, matched recovery is exact; encrypted and mismatched outputs are statistically indistinguishable from noise in the tested cases.

Exact Recovery or Noise



TAKEAWAY In simulation, matched-key recovery achieved BER below 10^{-8}. With the wrong key, bit error approaches random chance — with no useful gradient observed for an attacker to climb.

AI Learns the Examples, Not the Key




TAKEAWAY **Across four CNN tests, the models could not even sort encrypted files by which of two analog keys was used, or by which of two messages was encrypted — accuracy stayed at about 50%, a coin flip.**

A 15+ Year Compounding IP Moat

Depth — Foundational Research & Patents

IP MOAT: DEPTH — FOUNDATIONAL RESEARCH & PATENTS


Over 15 years of compounding protection from theory to ecosystem.



TAKEAWAY Analog Guard's foundational research and patent estate build depth around the core signal-protection architecture, creating long-term protection around the core physical-layer cybersecurity approach.

Breadth & Strategic Outposts

Breadth & Strategic Outposts




TAKEAWAY International filings and use-case provisional patent applications expand the moat across key markets, manufacturing regions, and emerging use cases including AI governance and cryptocurrency.

Monetization Pathways



TAKEAWAY The commercial strategy sequences government and defense beachhead funding, scalable IP licensing, OEM hardware integration, and strategic partnership or acquisition pathways.

Validation Roadmap



TAKEAWAY The validation path moves from simulated proof points toward mission-relevant digital file testing, hardware implementation, and scalable demonstration milestones.

TEAM

The Team



Chris M. Hymel, Ph.D.

Founder & Principal Investigator

Analog signal processing, neuro-engineering, public-company formation, issued patents, and peer-reviewed signal-technology recognition.



Ron Stubbers

Regulatory & Commercialization

Moving advanced technologies through FDA, CE, ISO, international launch, and cybersecurity certification pathways.



Naser A. Otman, Ph.D.

Mixed-Signal Validation Lead

Electrical and optical communications, circuit design, nonlinear optics, MATLAB, PSpice, RSoft, and Optiwave.